


Your Trusted
Partner in LED
Optics.





CONTENTS

- About Us
- Product Development
- Application
- Available Beam Pattern
- Product Nomenclature
- About Secondary Optical Lens
- **Outdoor Light Lens**
(Single Lens, Non IP Lens, IP Lens)
- **Indoor Light Lens**
(Single Lens, Non IP Lens, IP Lens)



We are here to control the light to make it Efficient in Specific Applications. We are expert in designing and manufacturing of lenses because our optical and tooling knowledge makes our lens more Efficient and cost Effective.

ABOUT US

With a vision to become the global market leader in the lens segment, Optiks Mechatronics has been manufacturing and selling LED optical lighting solutions ever since its inception in 2015.

The philosophy at the core of everything we do is to think different, think big, think future and always incumbent for customer delight.

Founded by Mr. Kapil Kaushik with 25 years of experience in the Lighting & Tooling industry, and Dr. Tanu Sharma with core competency in Optics Design.

Optiks has always been a place for innovation that is why we started the in-house development of new and optimized LED lenses using latest lighting technology with the aim to provide various ranges of 'Made in India' products of excellent quality.

The management team also includes Mr. Mangat Rai as the Vice President who presides over the development process.

We have achieved various milestones of success with the support of our team, our supply partners and most importantly our customer's and for that, we are eternally grateful.

KEY STRENGTHS

- Latest Optics Designing Software
- Fully automated 05 Manufacturing Units
- 20 Injection Moulding Machine
- In house Tool Room with the latest technology
- Automatic high precision Machine

GOAL

The Optiks team firmly commits that we will always maintain fairness in our practices and dedication in our work in order to serve you the best products and keep your trust in us intact for years to come.

To know more about our products, please visit www.optiksmechatronics.in

Together, we have established a state-of-the-art manufacturing unit in Greater Noida where we use advanced machinery and the latest technology to produce approximately 50 lakh lenses every day!

Apart from the fully integrated manufacturing unit, our facilities also consist of a fully-equipped testing lab to inspect every batch thoroughly before packaging, a technology center for innovation and latest product development, and a spacious warehousing area for safe storage of the finished products.

Optiks produces a wide range of both indoor and outdoor lenses with varying beam angles, sizes and lighting applications including everything from residential, architectural, stage, commercial spaces, stadiums, warehouses, showrooms to street lights, and many more.

Furthermore, we offer a full-customization option to cater the needs of every client to the best of our potential!


Our highly qualified expert technicians, engineers, researchers, and managers ensure that every product is designed as per the customer's need and is evaluated for 100% performance before leaving the unit.

Because of our adherence to perfection, we have been awarded ISO 9001:2015 certification for all of our factories, which further proves that we leave no room for compromise when it comes to optimum quality.



Facilities

Product development strategy



Optical Design & Simulation



Mold Design & Development



Mass Production



Testing




Customized Solution




OEM & ODM


Indoor Lighting




60°




90°



10°



15°




25°


Products



Lenses



Product Nomenclature



Applications



Street Lights



Warehouses



Stadium Lights



Indoor Lights



Showrooms



Stage Lighting



Medical Lighting



Architectural Lighting


Showroom Lighting



Available Beam Pattern

INDUSTRIAL LIGHTING


Our Mission to help our Customer to optimize Optics performance by using our optical and Tooling Knowledge to make a cost effective high quality product.




10°

15°


25°




60°




90°




120°




135x85°




145x45°




150x75°




60°




90°




120°




60x135°



80x150°



120x25°



135x85°


145x45°

150x75°





Street Light Lens

Secondary Optical Lens



Generally LED need to proceed Secondary Optic Design to become Lamp fixture. We are using Secondary optical lens to focus light pattern in a defined way

Difference Between General Molding and Optical Lens Molding



Defects

- Low shape accuracy
- Surface Shrinkage
- Air bubble formation
- Decreased Transparency
- Flatness over 2 mm
- Consistency in Light Patterns

Optical Lens Molding

- High shape accuracy
- Non-surface Shrinkage
- Non -Air bubble formation
- High Transparency
- Flatness below 3 mm

OM02-1X1-3535-135X85°




SPECIFICATIONS:

LXWXH (mm) : 17.6X9.9X7.5

FWHM : 135X85°

LED Package : 3535, 3030

Material : Polycarbonate



OM12-2X2-3535-135X85°




SPECIFICATIONS:

LXWXH (mm) : 49.5X49.5X6

FWHM : 135X85°

LED Package : 3535

Material : Polycarbonate



OM04-3X1-3535-135X85°




SPECIFICATIONS:

LXWXH (mm) : 56X28X6

FWHM : 135X85°

LED Package : 3535

Material : Polycarbonate



OM16-9X1-3535-135X85°




SPECIFICATIONS:

LXWXH (mm) : 49.5X49.5X5.4

FWHM : 135X85°

LED Package : 3535

Material : Polycarbonate



OM05-3X1-3535-135X85°




SPECIFICATIONS:

LXWXH (mm) : 56X28X6

FWHM : 135X85°

LED Package : 3535

Material : Polycarbonate



OM23-1X1-5050-145X45°




SPECIFICATIONS:

LXWXH (mm) : 18.5X12.8X8.8

FWHM : 145X45°

LED Package : 5050

Material : Polycarbonate



OM09-8X1-3535-135X85°




SPECIFICATIONS:

LXWXH (mm) : 134.2X54.2X8

FWHM : 135X85°

LED Package : 3535

Material : Polycarbonate



OM25-12X1-3030-145X45°




SPECIFICATIONS:

LXWXH (mm) : 50X50X5.2

FWHM : 145X45°

LED Package : 3030

Material : Polycarbonate




OM38-6X1-5050-145X45°



SPECIFICATIONS:
LXWXH (mm) : 134X54X8
FWHM : 145X45°
LED Package : 5050
Material : Polycarbonate

CREE | OSRAM | COBOL | SAMSUNG | LUMILEDS




OM66-18X1-3535-135X85°



SPECIFICATIONS:
LXWXH (mm) : 268.2X78.6X10
FWHM : 135X85°
LED Package : 3535
Material : Polycarbonate

CREE | OSRAM | COBOL | SAMSUNG | LUMILEDS




OM39-21X1-3535-135X85°



SPECIFICATIONS:
LXWXH (mm) : 95X72X6
FWHM : 135X85°
LED Package : 3535
Material : Polycarbonate

CREE | OSRAM | COBOL | SAMSUNG | LUMILEDS




OM69-20X1-3535-155X60°



SPECIFICATIONS:
LXWXH (mm) : 131.1X84.5X7.8
FWHM : 155X60°
LED Package : 3535
Material : Polycarbonate

Not for sale only for reference

CREE | OSRAM | COBOL | SAMSUNG | LUMILEDS




OM55-8X1-3535-135X85°



SPECIFICATIONS:
LXWXH (mm) : 49.5X49.5X5.4
FWHM : 135X85°
LED Package : 3535
Material : Polycarbonate

CREE | OSRAM | COBOL | SAMSUNG | LUMILEDS




OM72-2X2-5050-145X45°



SPECIFICATIONS:
LXWXH (mm) : 49.65X49.65X8.6
FWHM : 145X45°
LED Package : 5050
Material : Polycarbonate

CREE | OSRAM | COBOL | SAMSUNG | LUMILEDS




OM58-30X1-3535-135X85°



SPECIFICATIONS:
LXWXH (mm) : 133X69X5.5
FWHM : 135X85°
LED Package : 3535
Material : Polycarbonate

CREE | OSRAM | COBOL | SAMSUNG | LUMILEDS




OM75-20X1-3535-135X85°



SPECIFICATIONS:
LXWXH (mm) : 141.1X74.5X8.6
FWHM : 135X85°
LED Package : 3535
Material : Polycarbonate

CREE | OSRAM | COBOL | SAMSUNG | LUMILEDS



OM77-14X1-3535-135X85°




SPECIFICATIONS:

LXWXH (mm) : 108X74.5X8.6

FWHM : 135X85°

LED Package : 3535

Material : Polycarbonate



OM88-16X1-3535-150X75°




SPECIFICATIONS:

LXWXH (mm) : 100X60X8.3


FWHM : 150X75°

LED Package : 3535

Material : Polycarbonate



OM80-49X1-3030-145X45°




SPECIFICATIONS:

LXWXH (mm) : 108X74.5X8.6

FWHM : 145X45°

LED Package : 3030

Material : Polycarbonate



OM109-16X1-3030-T-II S




SPECIFICATIONS:

LXWXH (mm) : 50X50X4.2

FWHM : T-II S

LED Package : 3030

Material : Polycarbonate



OM83-12X1-3535-135X85°




SPECIFICATIONS:

LXWXH (mm) : 121X54X6.5

FWHM : 135X85°

LED Package : 3535

Material : Polycarbonate



OM110-24X1-3030-T-II M




SPECIFICATIONS:

LXWXH (mm) : 50X50X3.75

FWHM : T-II M

LED Package : 2835, 3030

Material : Polycarbonate



OM85-29X1-3535-135X85°




SPECIFICATIONS:

LXWXH (mm) : 190.4X74.2X8.2

FWHM : 135X85°

LED Package : 3535

Material : Polycarbonate



OM116-11X1-3535-T-I S




SPECIFICATIONS:

LXWXH (mm) : 80X60X8

FWHM : T-I S

LED Package : 3535

Material : Polycarbonate



OM118-28X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 100X100X9.6

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM127-36X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 105X115X8.1

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM120-14X1-3535-135X85°




SPECIFICATIONS:

LXWXH (mm) : 106.48X79X7.9

FWHM : 135X85°

LED Package : 3535

Material : Polycarbonate



OM131-42X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 173.2X75X8.3

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM121-22X1-3535-135X85°




SPECIFICATIONS:

LXWXH (mm) : 115X105X4.4

FWHM : 135X85°

LED Package : 3535

Material : Polycarbonate



OM132-9X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 50X50X6.8

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



OM126-24X1-3030-T-II




SPECIFICATIONS:

LXWXH (mm) : 89.1X73.6X8.25

FWHM : T-II

LED Package : 3030

Material : Polycarbonate



OM136-9X1-3535-NR-T-II




SPECIFICATIONS:

LXWXH (mm) : 51.66X51.66X1.98

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



Not for sale only for reference

OM140-20X1-5050-T-II



Not for sale only
for reference


SPECIFICATIONS:

LXWXH (mm) : 139.4X13.90

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



OM149-8X1-3535-T-III




SPECIFICATIONS:

LXWXH (mm) : 49X49X5.5

FWHM : T-III

LED Package : 3535

Material : Polycarbonate



OM141-10X1-5050-145X45°




SPECIFICATIONS:

LXWXH (mm) : 100X60X10

FWHM : 145X45°

LED Package : 5050

Material : Polycarbonate



OM154-36X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 130.9X75.2X5

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM142-44X1-3030-T-II M




SPECIFICATIONS:

LXWXH (mm) : 100X60X8.3

FWHM : T-II M

LED Package : 3030

Material : Polycarbonate



OM168-20X1-3030,3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 78.5X267

FWHM : T-II

LED Package : 3030, 3535

Material : Polycarbonate



OM145-3X3-3535-MR-T-II



Not for sale only
for reference


SPECIFICATIONS:

LXWXH (mm) : 43.80X62.80

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM172-12X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 97.2X63.8X4.1

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM176-8X1-3535,3030-T-II



Not for sale only
for reference


SPECIFICATIONS:

LXWXH (mm) : 100X60X6.2

FWHM : T-II

LED Package : 3535, 3030

Material : Polycarbonate



OM182-36X1-5050-145X45°



Not for sale only
for reference


SPECIFICATIONS:

LXWXH (mm) : 218.3X164X12.4

FWHM : 145X45°

LED Package : 5050

Material : Polycarbonate



OM177-16X1-5050-145X45°




SPECIFICATIONS:

LXWXH (mm) : 108.3X75.2

FWHM : 145X45°

LED Package : 5050

Material : Polycarbonate



OM183-40X1-3030-158X98°



Not for sale only
for reference


SPECIFICATIONS:

LXWXH (mm) : 100X60X6.3


FWHM : 158X98°

LED Package : 3030

Material : Polycarbonate



OM179-20X1-5050-145X45°



Not for sale only
for reference


SPECIFICATIONS:

LXWXH (mm) : 131.3X84.6X6.2

FWHM : 145X45°

LED Package : 5050

Material : Polycarbonate



OM184-44X1-3030-158X98°




SPECIFICATIONS:

LXWXH (mm) : 100X60X6.3

FWHM : 158X98°

LED Package : 3030

Material : Polycarbonate



OM180-24X1-2835,3030-T-II




SPECIFICATIONS:

LXWXH (mm) : 80.2X60.2X3.4

FWHM : T-II

LED Package : 2835, 3030

Material : Polycarbonate



OM187-60X1-3030,3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 142X75.5X4.8

FWHM : T-II

LED Package : 3030, 3535


Material : Polycarbonate



OM199-15X1-3030,3535-T-II




SPECIFICATIONS:
LXWXH (mm) : 89.1X73.6X4
FWHM : T-II
LED Package : 3030, 3535
Material : Polycarbonate



OM227-12X1-3535-T-II



SPECIFICATIONS:
LXWXH (mm) : 49.3X49.3X4.8
FWHM : T-II
LED Package : 3535
Material : Polycarbonate




OM220-8X1-5050-T-II



Not for sale only
for reference

SPECIFICATIONS:
LXWXH (mm) : 99.8X308.1X54
FWHM : T-II
LED Package : 5050
Material : Polycarbonate




OM228-8X1-3535-T-II



Not for sale only
for reference


SPECIFICATIONS:
LXWXH (mm) : 57X58X8.6
FWHM : T-II
LED Package : 3535
Material : Polycarbonate



OM224-29X1-5050-T-II




SPECIFICATIONS:
LXWXH (mm) : 173.18X74.98X8.2
FWHM : T-II
LED Package : 5050
Material : Polycarbonate



OM229-16X1-3535-T-II




SPECIFICATIONS:
LXWXH (mm) : 60.2X80.2X7.6
FWHM : T-II
LED Package : 3535
Material : Polycarbonate



OM225-64X1-3030-T-II




SPECIFICATIONS:
LXWXH (mm) : 100X100X4.7
FWHM : T-II
LED Package : 3030
Material : Polycarbonate



OM230-22X1-3535-T-II



SPECIFICATIONS:
LXWXH (mm) : 60.2X80.2X7.6
FWHM : T-II
LED Package : 3535
Material : Polycarbonate



OM232-88X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 74.2X190.4X8.6


FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM245-4X1-5050-T-II M




SPECIFICATIONS:

LXWXH (mm) : 50X50X6.6

FWHM : T-II M

LED Package : 5050

Material : Polycarbonate



OM236-24X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 150.9X164.7X9.2

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



OM246-50X1-3030-T-II




SPECIFICATIONS:

LXWXH (mm) : 155.6X81.6X6.4

FWHM : T-II

LED Package : 3030

Material : Polycarbonate



OM237-72X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 102.2X178.2X8.2

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM257-6X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 80X60X8.4

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



OM238-26X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 99.6X99.6X8.4

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



OM258-13X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 58.2X70.2X3.6

FWHM : T-II

LED Package : 3535


Material : Polycarbonate



OM261-16X1-3535-T-II




SPECIFICATIONS:
LXWXH (mm) : 73X179X7.8
FWHM : T-II
LED Package : 3535
Material : Polycarbonate



OM272-8X1-3535-T-II




SPECIFICATIONS:
LXWXH (mm) : 66X60X8.7
FWHM : T-II
LED Package : 3535
Material : Polycarbonate



OM262-36X1-5050-T-II




SPECIFICATIONS:
LXWXH (mm) : 227X56X7
FWHM : T-II
LED Package : 5050
Material : Polycarbonate



OM273-12X1-3535-135X85°




SPECIFICATIONS:
LXWXH (mm) : 121.7X54.3X6.7
FWHM : 135X85°
LED Package : 3535
Material : Polycarbonate



OM264-1X1-3535-135X145°




SPECIFICATIONS:
LXWXH (mm) : 11.2X15X7.4
FWHM : 135X145°
LED Package : 3535
Material : Polycarbonate



OM275-30X1-5050-60°




SPECIFICATIONS:
LXWXH (mm) : 72X242X8
FWHM : 60°
LED Package : 5050
Material : Polycarbonate



OM265-4X1-5050-T-II




SPECIFICATIONS:
LXWXH (mm) : 50X50X6.4
FWHM : T-II
LED Package : 5050
Material : Polycarbonate



OM276-8X1-5050-T-II



SPECIFICATIONS:
LXWXH (mm) : 68X67X8.6
FWHM : T-II
LED Package : 5050
Material : Polycarbonate



OM278-5X1-5050-60°



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 65X65X10

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM284-40X1-3030-T-II



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 107.9X74.5X8.6

FWHM : T-II

LED Package : 3030

Material : Polycarbonate



OM280-121X1-3535-NHIP-T-I A



Not for sale only for reference


SPECIFICATIONS:

DXH (mm) : 225.6X7.9

FWHM : NHIP-T-I A

LED Package : 3535

Material : Polycarbonate



OM285-6X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 50X50X6

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



OM281-113X1-3535-NHIP-T-IIA



Not for sale only for reference


SPECIFICATIONS:

DXH (mm) : 225.6X7.9

FWHM : NHIP-T-II A

LED Package : 3535

Material : Polycarbonate



OM286-8X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 50X50X6.6

FWHM : 50X50X6.6

LED Package : 5050

Material : Polycarbonate



OM283-76X1-3030-T-II




SPECIFICATIONS:

LXWXH (mm) : 130.88X75.18X8.1

FWHM : T-II

LED Package : 3030

Material : Polycarbonate



OM293-14X1-5050-T-II



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 142.2X75.2X8.4

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



OM294-18X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 144.6X144.6X12.5

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM322-28X1-3030-T-II




SPECIFICATIONS:

LXWXH (mm) : 93.2X65.2X8.4

FWHM : T-II

LED Package : 3030

Material : Polycarbonate



OM297-12X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 49.8X49.8X3.4

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



OM326-117X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 207.6X122.6X13.6


FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM309-64X1-3030-T-II




SPECIFICATIONS:

LXWXH (mm) : 100X100X5.8

FWHM : T-II

LED Package : 3030

Material : Polycarbonate



OM329-2X2-5050-T-II M




SPECIFICATIONS:

LXWXH (mm) : 50X50X7.9

FWHM : T-II M

LED Package : 5050

Material : Polycarbonate



OM315-12X1-5050-T-II H




SPECIFICATIONS:

LXWXH (mm) : 71.4X173X8.2

FWHM : T-II H

LED Package : 5050

Material : Polycarbonate



OM330-24X1-3030-150X75°




SPECIFICATIONS:

LXWXH (mm) : 71.4X173X7.8

FWHM : 150X75°

LED Package : 3030

Material : Polycarbonate



OM334-84X1-5050-T-II M




SPECIFICATIONS:

LXWXH (mm) : 133X285X6.8

FWHM : T-II M

LED Package : 5050

Material : Polycarbonate



OM358-16X1-5050-T-II M




SPECIFICATIONS:

LXWXH (mm) : 80X108X7.9

FWHM : T-II M

LED Package : 5050

Material : Polycarbonate



OM340-2X1-5050-145X45°




SPECIFICATIONS:

LXWXH (mm) : 25X50X8.1


FWHM : 145X45°

LED Package : 5050

Material : Polycarbonate



OM360-36X1-3535-MR-T-II




SPECIFICATIONS:

LXWXH (mm) : 176X99X9

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM354-12X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 71.4X173X8.7


FWHM : T-II

LED Package : 5050

Material : Polycarbonate



OM373-60X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 248X100X15

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



OM355-18X1-5050-145X45°




SPECIFICATIONS:

LXWXH (mm) : 100X100X9.8

FWHM : 145X45°

LED Package : 5050

Material : Polycarbonate



OM385-59X1-3535-MR-T-II




SPECIFICATIONS:

LXWXH (mm) : 254.8X128X12.0

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM406-10X1-5050-T-II



Not for sale only
for reference

SPECIFICATIONS:


LXWXH (mm) : 100X60X8.32

FWHM : T-II


LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | PHILIPS | SAMSUNG | LUMILEDS



OM428-9X1-3535-NR-T-II



SPECIFICATIONS:


LXWXH (mm) : 62.80X43.80X7.78

FWHM : T-II

LED Package : 3535

Material : Polycarbonate

CREE | OSRAM | PHILIPS | SAMSUNG | LUMILEDS



OM409-78X1-5050-T-II



Not for sale only
for reference

SPECIFICATIONS:


LXWXH (mm) : 426.50X127.50X8.21

FWHM : T-II

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | PHILIPS | SAMSUNG | LUMILEDS



OM434-64X1-3535-T-II H



SPECIFICATIONS:


LXWXH (mm) : 228.76X70.76X8.60

FWHM : T-II H

LED Package : 3535

Material : Polycarbonate

CREE | OSRAM | PHILIPS | SAMSUNG | LUMILEDS



OM410-47X1-2835-T-II



SPECIFICATIONS:


LXWXH (mm) : 60.17X80.17X7.59

FWHM : T-II


LED Package : 2835

Material : Polycarbonate

CREE | OSRAM | PHILIPS | SAMSUNG | LUMILEDS



OM435-20X1-5050-T-II



SPECIFICATIONS:


LXWXH (mm) : 141.1X74.5X9.7

FWHM : T-II


LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | PHILIPS | SAMSUNG | LUMILEDS



OM426-28X1-5050-T-II



SPECIFICATIONS:


LXWXH (mm) : 228.83X70.83X9.02

FWHM : T-II

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | PHILIPS | SAMSUNG | LUMILEDS



OM439-30X1-3030-T-II



SPECIFICATIONS:


LXWXH (mm) : 222X106.5X14.6

FWHM : T-II

LED Package : 3030

Material : Polycarbonate

CREE | OSRAM | PHILIPS | SAMSUNG | LUMILEDS



OM440-50X1-3030-T-II




SPECIFICATIONS:

LXWXH (mm) : 262X124.8X14

FWHM : T-II

LED Package : 3030

Material : Polycarbonate



OM459-9X1-5050-T-II S




SPECIFICATIONS:

LXWXH (mm) : 67X44.3X6.9

FWHM : T-II S

LED Package : 5050

Material : Polycarbonate



OM441-12X1-3535-MR-T-II



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 62.80X43.80X7.59

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM462-40X1-3030-158X98°



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 49.5X49.5X5.4

FWHM : 158X98°

LED Package : 3030

Material : Polycarbonate



OM442-9X1-3535-HW-T-II



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 67X46X3.60

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



OM472-48X1-5050-T-II



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 424X203X11.4

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



OM452-24X1-3030-T-II




SPECIFICATIONS:

LXWXH (mm) : 188.6X85.4X15.4

FWHM : T-II

LED Package : 3030

Material : Polycarbonate



OM477-2X2-BATWING-T-II




SPECIFICATIONS:

LXWXH (mm) : 50X50X13


FWHM : T-II

LED Package : 5050

Material : Polycarbonate



OM507-14X1-8080-T-II




SPECIFICATIONS:

LXWXH (mm) : 100.1x59.1x10.3

FWHM : T-II

LED Package : 8080

Material : Polycarbonate



Om536-25X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 130.88X75.2


FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om513-80X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 304X100X6.6

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



Om547-25X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 115X105X8.5

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om528-24X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 173X85.5X7

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



Om561-12X1-5050-T-II H




SPECIFICATIONS:

LXWXH (mm) : 71.4X173

FWHM : T-II H

LED Package : 5050

Material : Polycarbonate



Om529-36X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 210X104X7

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



Om562-12X1-5050-T-II V




SPECIFICATIONS:

LXWXH (mm) : 71.4X173


FWHM : T-II V

LED Package : 5050

Material : Polycarbonate



Om570-24X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 173X71.4X10.4

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om571




SPECIFICATIONS:

LXWXH (mm) : 173X71.4X10.4

FWHM : T-III

LED Package : 5050

Material : Polycarbonate



Om580-8X1-5050-140X50°



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 74X60X9

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om581-12X1-5050-140X50°



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 100X60X9

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om582-38X1-5050-140X50°



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 142X95X8

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om583-64X1-5050-T-II



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 190X112X8

FWHM : T-III

LED Package : 5050

Material : Polycarbonate



Om599-30X1-5050-T-II



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 267X92X8

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om612-2X2-5050-T-I




SPECIFICATIONS:

LXWXH (mm) : 50X50X8

FWHM : T-I

LED Package : 5050

Material : Polycarbonate



Om622-28X1-5050-T-II V




SPECIFICATIONS:

LXWXH (mm) : 229X71X11.4

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om627-17X1-5050-145X45°




SPECIFICATIONS:

LXWXH (mm) : 136.3X107

FWHM : 145X45°

LED Package : 5050

Material : Polycarbonate



Om643-36X1-5050-T-II



Not for sale only
for reference


SPECIFICATIONS:

LXWXH (mm) : 142X132X7

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om653-28X1-5050-




SPECIFICATIONS:

LXWXH (mm) : 228.8X70.8X8

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om659-70X1-3535-T-II



Not for sale only
for reference


SPECIFICATIONS:

LXWXH (mm) : 283X151X10.5

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



Om674-6X1-7070-T-I



Not for sale only
for reference


SPECIFICATIONS:

LXWXH (mm) : 131X83.5X11

FWHM : T-III

LED Package : 5050

Material : Polycarbonate



Om683-12X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 173X71.4X8

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om694-48X1-5050-TUNNEL



Not for sale only
for reference


SPECIFICATIONS:

LXWXH (mm) : 170X110X9

FWHM : TUNNEL

LED Package : 5050

Material : Polycarbonate



Om706-28X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 228X71X9

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om707-2X2-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 50X50X11

FWHM : 140X50°

LED Package : 5050

Material : Polycarbonate



Om708-2X2-5050-T-I



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 50X50X9

FWHM : T-I

LED Package : 5050

Material : Polycarbonate



Om711-76X1-3030-T-II




SPECIFICATIONS:

LXWXH (mm) : 131X75X9


FWHM : T-II

LED Package : 3030

Material : Polycarbonate



Om727-36X1-3030-T-II




SPECIFICATIONS:

LXWXH (mm) : 173X71.4X6.2

FWHM : T-II

LED Package : 3030

Material : Polycarbonate



Om733-146X1-5050=0-T-II



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 315X248X11.6

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om753-88X1-3030-T-II




SPECIFICATIONS:

LXWXH (mm) : 190.4X74.2X9


FWHM : T-II

LED Package : 3030

Material : Polycarbonate



Om754-4X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 60X60X1.8

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om755-32X1-3535-T-II



Not for sale only for reference


SPECIFICATIONS:

LXWXH (mm) : 114X100X9

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



Om757-9X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 44.12X66.62X6.5

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



Om758-1X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 17.5X11.6X6.6

FWHM : T-I

LED Package : 3535

Material : Polycarbonate



Om759-1X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 29X18.6X1.4

FWHM : T-II

LED Package : 5050

Material : Polycarbonate



Om760-30X1-3535-T-II




SPECIFICATIONS:

LXWXH (mm) : 137.7X88.6X10.75

FWHM : T-II

LED Package : 3535

Material : Polycarbonate



Om772-1X1-5050-T-II




SPECIFICATIONS:

LXWXH (mm) : 18X12X9

FWHM : TUNNEL

LED Package : 5050

Material : Polycarbonate



OM03-1X1-3535-60°




SPECIFICATIONS:

DXH (mm) : 12.10X11.30X5.50

FWHM : 60°

LED Package : 3535

Material : Polycarbonate



OM37-1X1-3535,5050-60°




SPECIFICATIONS:

DXH (mm) : 15X8.8


FWHM : 60°

LED Package : 3535, 5050

Material : Polycarbonate



OM07-1X1-3535-45°




SPECIFICATIONS:

DXH (mm) : 19.7X10.5

FWHM : 45°

LED Package : 3535

Material : Polycarbonate



OM41-8X1-3535-30°




SPECIFICATIONS:

LXWXH (mm) : 49.4X49.4X7.1


FWHM : 30°

LED Package : 3535

Material : Polycarbonate



OM29-115X1-3030-60°




SPECIFICATIONS:

DXH (mm) : 135X9.8

FWHM : 60°

LED Package : 3030

Material : Polycarbonate



OM42-1X1-3030-90°




SPECIFICATIONS:

LXWXH (mm) : 114X12.2X114

FWHM : 90°

LED Package : 3030

Material : Polycarbonate



OM36-2X2-3535,5050-60X60°




SPECIFICATIONS:

LXWXH (mm) : 49.8X49.8X7

FWHM : 60X60°

LED Package : 3535, 5050

Material : Polycarbonate



OM43-1X1-3535,5050-90°




SPECIFICATIONS:

DXH (mm) : 15X7.1


FWHM : 90°

LED Package : 3535, 5050

Material : Polycarbonate



OM44-12X1-3030-90°




SPECIFICATIONS:

LXWXH (mm) : 49.5X49.5X4

FWHM : 90°

LED Package : 3030

Material : Polycarbonate



OM52-8X1-3737-90°




SPECIFICATIONS:

LXWXH (mm) : 49.5X49.5X4.97

FWHM : 90°

LED Package : 3737

Material : Polycarbonate



OM45-2X2-3535-60°




SPECIFICATIONS:

LXWXH (mm) : 50X50X8.5

FWHM : 60°

LED Package : 3535

Material : Polycarbonate



OM53-9X1-5050-90°




SPECIFICATIONS:

LXWXH (mm) : 49.9X49.9X8

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM47-1X1-3535-120X25°




SPECIFICATIONS:

LXWXH (mm) : 50X50X8.5

FWHM : 120X25°

LED Package : 3535

Material : Polycarbonate



OM56-16X1-3030-60°




SPECIFICATIONS:

LXWXH (mm) : 49.25X49.25X5.5

FWHM : 60°

LED Package : 3030

Material : Polycarbonate



OM51-9X1-3535-90°




SPECIFICATIONS:

LXWXH (mm) : 49.5X49.5X5

FWHM : 90°

LED Package : 3535

Material : Polycarbonate



OM57-16X1-3030-90°




SPECIFICATIONS:

LXWXH (mm) : 49.25X49.25X3.97

FWHM : 90°

LED Package : 3030

Material : Polycarbonate



OM59-9X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 49.9X49.9X9.9

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM79-1X1-5050-45°




SPECIFICATIONS:

DXH (mm) : 15.1X11.4X7.2

FWHM : 45°

LED Package : 5050

Material : Polycarbonate



OM65-115X1-3535-90°




SPECIFICATIONS:

DXH (mm) : 135X9.8

FWHM : 90°

LED Package : 3535

Material : Polycarbonate



OM84-16X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 107X107X11.9

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM67-2X2-3535,5050-60°




SPECIFICATIONS:

LXWXH (mm) : 50X50X7.95

FWHM : 60°

LED Package : 3535, 5050

Material : Polycarbonate



OM95-1X1-3535-30°




SPECIFICATIONS:

DXH (mm) : 11.95X7.4

FWHM : 30°

LED Package : 3535

Material : Polycarbonate



OM68-2X2-3535,5050-90°




SPECIFICATIONS:

LXWXH (mm) : 49.8X49.8X7.0

FWHM : 90°

LED Package : 3535, 5050

Material : Polycarbonate



OM96-1X1-2835,3030-40°




SPECIFICATIONS:

LXWXH (mm) : 14.5X14.5X8.4

FWHM : 40°

LED Package : 2835, 3030

Material : Polycarbonate



OM98-12X1-3030-60°




SPECIFICATIONS:

LXWXH (mm) : 49X49X6.3

FWHM : 60°

LED Package : 3030

Material : Polycarbonate



OM124-16X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 50X50X7


FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM107-1X1-3030-25°




SPECIFICATIONS:

LXWXH (mm) : 16X16X10

FWHM : 25°

LED Package : 2835, 3030

Material : Polycarbonate



OM129-1X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 14X14X6.7

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM113-30X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 204X84X8.4

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM134-42X1-3535-60°




SPECIFICATIONS:

LXWXH (mm) : 173.2X75X8.10

FWHM : 60°

LED Package : 3535

Material : Polycarbonate



OM114-30X1-5050-90°




SPECIFICATIONS:

LXWXH (mm) : 204X84X8.4

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM135-2X2-5050-120°




SPECIFICATIONS:

LXWXH (mm) : 25.40X49.80X49.80

FWHM : 120°

LED Package : 5050

Material : Polycarbonate



OM146-200X1-3030-60°




SPECIFICATIONS:

DXH (mm) : 308X6.55

FWHM : 60°

LED Package : 3030

Material : Polycarbonate



OM147-200X1-3030-60°




SPECIFICATIONS:

DXH (mm) : 226X6.5

FWHM : 60°

LED Package : 3030

Material : Polycarbonate



OM148-200X1-3030-90°




SPECIFICATIONS:

DXH (mm) : 226X6.5


FWHM : 90°

LED Package : 3030

Material : Polycarbonate



OM155-9X1-5050-30°




SPECIFICATIONS:

LXWXH (mm) : 49.45X49.45X8.8

FWHM : 30°

LED Package : 5050

Material : Polycarbonate



OM162-33X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 300X80.9X9.7

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM165-54X1-3030-90°




SPECIFICATIONS:

LXWXH (mm) : 237X104

FWHM : 90°

LED Package : 3030

Material : Polycarbonate



OM167-32X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 273X71.1X10.9

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM174-1X1-5050-25°




SPECIFICATIONS:

DXH (mm) : 15X15X8.8

FWHM : 25°

LED Package : 5050

Material : Polycarbonate



OM185-50X1-3030-60°




SPECIFICATIONS:

LXWXH (mm) : 197.1X91.1X8.1

FWHM : 60°

LED Package : 3030

Material : Polycarbonate



OM186-54X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 265X4.3


FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM189-126X1-3030-60°




SPECIFICATIONS:

LXWXH (mm) : 187.3X133.3X5.3

FWHM : 60°

LED Package : 3030

Material : Polycarbonate



OM190-24X1-3030-60°




SPECIFICATIONS:

LXWXH (mm) : 49.9X1.8

FWHM : 60°

LED Package : 3030

Material : Polycarbonate



OM211-1X1-Lens Holder°




SPECIFICATIONS:

DXH (mm) : 22.2X11.8

FWHM :

LED Package :

Material :



OM213-24X1-3030-90°




SPECIFICATIONS:

LXWXH (mm) : 50X50X4.5

FWHM : 90°

LED Package : 3030

Material : Polycarbonate



OM214-1X1-3030-20°




SPECIFICATIONS:

DXH (mm) : 20X13.3


FWHM : 20°

LED Package : 3030

Material : Polycarbonate



OM218-1X1-3535-60°




SPECIFICATIONS:

DXH (mm) : 19.5X12

FWHM : 60°

LED Package : 3535

Material : Polycarbonate



OM221-18X1-5050-120°




SPECIFICATIONS:

DXH (mm) : 128.8X5.6

FWHM : 120°

LED Package : 5050

Material : Polycarbonate



OM231-50X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 248.3X212.9X8.8


FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM222-9X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 49.9X49.9X8.3


FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM233-8X1-3535-60°




SPECIFICATIONS:

LXWXH (mm) : 50X50X6.8

FWHM : 60°

LED Package : 3535

Material : Polycarbonate



OM223-12X1-3030-25°




SPECIFICATIONS:

LXWXH (mm) : 49.5X49.5X6.1

FWHM : 25°

LED Package : 3030

Material : Polycarbonate



OM239-1X1-3535-45°




SPECIFICATIONS:

DXH (mm) : 19.6X19.6X11

FWHM : 45°

LED Package : 3535

Material : Polycarbonate



OM226-150X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 306.2X186.7X8

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM244-63X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 325X9.8

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM247-30X1-5050-90°




SPECIFICATIONS:

DXH (mm) : 159.8X18.5


FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM263-66X1-3535-60°




SPECIFICATIONS:

LXWXH (mm) : 170X136X10

FWHM : 60°

LED Package : 3535

Material : Polycarbonate



OM249-18X1-3030X4-90°




SPECIFICATIONS:

LXWXH (mm) : 194.5X138X13

FWHM : 90°

LED Package : 3030X4

Material : Polycarbonate



OM266-1X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 184X9.4

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM255-45X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 208X10.1

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM267-60X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 265.6X15

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM256-36X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 175X9.4

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM268-4X1-5050-FT-58°




SPECIFICATIONS:

LXWXH (mm) : 50X50X6.2

FWHM : 58°

LED Package : 5050

Material : Polycarbonate



OM269-4X1-5050-WFT-55°




SPECIFICATIONS:

LXWXH (mm) : 50X50X6.1

FWHM : 55°

LED package : 5050

Material : Polycarbonate



OM282-64X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 272.34X115.95X19.9

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM270-1X1-5050-24°




SPECIFICATIONS:

DXH (mm) : 28.8X16.85

FWHM : 24°

LED Package : 5050

Material : Polycarbonate



OM287-28X1-3535-60°




SPECIFICATIONS:

LXWXH (mm) : 100X100X9.6

FWHM : 60°

LED Package : 3535

Material : Polycarbonate



OM271-42X1-5050-70X85°




SPECIFICATIONS:

LXWXH (mm) : 173.2X75X8


FWHM : 70X85°

LED Package : 5050

Material : Polycarbonate



OM288-1X1-3030-160°




SPECIFICATIONS:

DXH (mm) : 14.6X5.4

FWHM : 160°

LED Package : 3030

Material : Polycarbonate



OM279-8X1-5050-30X70°




SPECIFICATIONS:

LXWXH (mm) : 50X50X8.1

FWHM : 30X70°

LED Package : 5050

Material : Polycarbonate



OM292-1X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 19.7X10.4

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



HIGH-BAY LIGHT LENS

OM298-12X1-5050-20°




SPECIFICATIONS:

LXWXH (mm) : 172.9X71.3X11.9


FWHM : 20°

LED Package : 5050

Material : Polycarbonate



OM313-12X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 71.4X173X9.6

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM308-1X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 225.6X10.4

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM314-12X1-5050-90°




SPECIFICATIONS:

LXWXH (mm) : 71.4X173X9.6

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM310-1X1-3030-45°




SPECIFICATIONS:

DXH (mm) : 19.8X10.58

FWHM : 45°

LED Package : 3030

Material : Polycarbonate



OM323-60X1-5050-90°




SPECIFICATIONS:

DXH (mm) : 265.6X15

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM311-2X2-3535,5050-95X15°




SPECIFICATIONS:

LXWXH (mm) : 50X50X9

FWHM : 95X15°

LED Package : 3535, 5050

Material : Polycarbonate



OM324-36X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 175X9.7

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM325-36X1-5050-90°




SPECIFICATIONS:

DXH (mm) : 175X8.8

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM339-1X1-2835,3030-60°




SPECIFICATIONS:

DXH (mm) : 27.7X8.6

FWHM : 60°

LED Package : 2835, 3030

Material : Polycarbonate



OM331-8X1-5050-30°




SPECIFICATIONS:

LXWXH (mm) : 50X50X9

FWHM : 30°

LED Package : 5050

Material : Polycarbonate



OM341-1X1-3030-30X15°




SPECIFICATIONS:

LXWXH (mm) : 17.3X18.7X12.2

FWHM : 30X15°

LED Package : 3030

Material : Polycarbonate



OM333-1X1-5050-90°




SPECIFICATIONS:

DXH (mm) : 184X6.3

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM343-1X1-5050-30X70°




SPECIFICATIONS:

LXWXH (mm) : 12X15X9.5

FWHM : 30X70°

LED Package : 5050

Material : Polycarbonate



OM335-1X1-3030-20°




SPECIFICATIONS:

DXH (mm) : 19.8X10.5

FWHM : 20°

LED Package : 3030

Material : Polycarbonate



OM345-2X2-3030-120X20°




SPECIFICATIONS:

LXWXH (mm) : 50X50X12.8

FWHM : 120X20°

LED Package : 3030

Material : Polycarbonate



OM346-1X1-5050-90°




SPECIFICATIONS:

LXWXH (mm) : 225.6X11.1


FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM352-68X1-3535-120°




SPECIFICATIONS:

LXWXH (mm) : 85X300X12.4


FWHM : 120°

LED Package : 3535

Material : Polycarbonate



OM348-16X1-3535-30°




SPECIFICATIONS:

LXWXH (mm) : 50X50X7.4

FWHM : 30°

LED Package : 3535

Material : Polycarbonate



OM353-28X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 71.11X229.11X12.05

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM350-68X1-3535-30°




SPECIFICATIONS:

LXWXH (mm) : 85X300X12.4

FWHM : 30°

LED Package : 3535

Material : Polycarbonate



OM356-64X1-5050-90°




SPECIFICATIONS:

LXWXH (mm) : 272.3X115.9X19.9

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM351-68X1-3535-60°




SPECIFICATIONS:

LXWXH (mm) : 85X300X12.4

FWHM : 60°

LED Package : 3535

Material : Polycarbonate



OM359-1X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 50X50X7.6

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM361-1X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 178X187.4X12.8


FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM375-8X1-5050-90°




SPECIFICATIONS:

LXWXH (mm) : 50X50X5.7


FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM363-1X1-3030-40°




SPECIFICATIONS:

DXH (mm) : 19.8X10.6


FWHM : 40°

LED Package : 3030

Material : Polycarbonate



OM376-8X1-5050-60°




SPECIFICATIONS:

LXWXH (mm) : 50X50X6.3

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM364-64X1-3535-60°




SPECIFICATIONS:

LXWXH (mm) : 70.8X228.8X8.4


FWHM : 60°

LED Package : 3535

Material : Polycarbonate



OM378-5050-104X1-145X45°




SPECIFICATIONS:

LXWXH (mm) : 273X173X9.7

FWHM : 145X45°

LED Package : 5050

Material : Polycarbonate



OM365-64X1-3535-90°




SPECIFICATIONS:

LXWXH (mm) : 70.77X228.77X8.4

FWHM : 90°

LED Package : 3535

Material : Polycarbonate



OM380-28X1-3030-10°




SPECIFICATIONS:

LXWXH (mm) : 229.1X71.1X15.4

FWHM : 10°

LED Package : 3030

Material : Polycarbonate



OM381-33X1-5050-90°




SPECIFICATIONS:

LXWXH (mm) : 80.9X300X9.4

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM395-42X1-5050-25°




SPECIFICATIONS:

LXWXH (mm) : 187.41X187.41X12

FWHM : 25°

LED Package : 5050

Material : Polycarbonate



Not for sale only for reference

OM382-81X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 201X9.3

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM397-90X1-3030-60°




SPECIFICATIONS:

LXWXH (mm) : 136.59X92.23X9.45

FWHM : 60°

LED Package : 3030

Material : Polycarbonate



Not for sale only for reference

OM391-1X1-COB-36°




SPECIFICATIONS:

DXH (mm) : 44X8.5

FWHM : 36°

LED Package : COB

Material : Polycarbonate



OM398-1X1-5050-10°




SPECIFICATIONS:

DXH (mm) : 21.0X14.20

FWHM : 10°

LED Package : 5050

Material : Polycarbonate



OM394-1X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 19.4X12.0

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM399-1X1-2835X4-25°




SPECIFICATIONS:

DXH (mm) : 19.95X11.3

FWHM : 25°

LED Package : 2835X4

Material : Polycarbonate




OM412-3X1-3535-15°




SPECIFICATIONS:
DXH (mm) : 49.9X13.40
FWHM : 15°
LED Package : 3535
Material : Polycarbonate

CREE | OSRAM | COBALT | SAMSUNG | LUMILEDS




OM419-1X1-3535-90°



SPECIFICATIONS:
LXWXH (mm) : 187.41X187.41X11.40
FWHM : 90°
LED Package : 3535
Material : Polycarbonate

CREE | OSRAM | COBALT | SAMSUNG | LUMILEDS




OM413-6X1-3535-15°



SPECIFICATIONS:
DXH (mm) : 68.9X9.83
FWHM : 15°
LED Package : 3535
Material : Polycarbonate

CREE | OSRAM | COBALT | SAMSUNG | LUMILEDS




OM422-32X1-5050-60°



SPECIFICATIONS:
LXWXH (mm) : 273X71.10X9.90
FWHM : 60°
LED Package : 5050
Material : Polycarbonate

CREE | OSRAM | COBALT | SAMSUNG | LUMILEDS




OM414-9X1-3535-15°



SPECIFICATIONS:
DXH (mm) : 92.53X9.89
FWHM : 15°
LED Package : 3535
Material : Polycarbonate

CREE | OSRAM | COBALT | SAMSUNG | LUMILEDS




OM427-1X1-COB-36°



SPECIFICATIONS:
DXH (mm) : 35X7.9
FWHM : 36°
LED Package : COB
Material : Polycarbonate

CREE | OSRAM | COBALT | SAMSUNG | LUMILEDS




OM415-12X1-3535-15°



SPECIFICATIONS:
DXH (mm) : 91.50X9.83
FWHM : 15°
LED Package : 3535
Material : Polycarbonate

CREE | OSRAM | COBALT | SAMSUNG | LUMILEDS




OM429-2X2-5050-60°




SPECIFICATIONS:
LXWXH (mm) : 50X50X12.97
FWHM : 60°
LED Package : 5050
Material : Polycarbonate

CREE | OSRAM | COBALT | SAMSUNG | LUMILEDS



OM430-96X1-5050-90°




SPECIFICATIONS:

LXWXH (mm) : 100X100X8.50

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM446-1X1-5050-90°




SPECIFICATIONS:

DXH (mm) : 158.4X10.2

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM443-32X1-5050-90°




SPECIFICATIONS:

DXH (mm) : 158.4X5

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM447-1X1-5050-90°




SPECIFICATIONS:

DXH (mm) : 183.0X10.4

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM444-40X1-5050-90°




SPECIFICATIONS:

DXH (mm) : 183X6

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM448-1X1-5050-90°




SPECIFICATIONS:

DXH (mm) : 225.1X8.9

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM445-76X1-5050-90°




SPECIFICATIONS:

DXH (mm) : 225.1X6

FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM449-1X1-COB-36°




SPECIFICATIONS:

DXH (mm) : 68.4X12.8

FWHM : 36°

LED Package : COB

Material : Polycarbonate



OM454-1X1-3030-10°




SPECIFICATIONS:

DXH (mm) : 300.03X20


FWHM : 10°

LED Package : 3030

Material : Polycarbonate



OM466-74X1-3535-90°




SPECIFICATIONS:

LXWXH (mm) : 218.4X157X19.6

FWHM : 90°

LED Package : 3535

Material : Polycarbonate



OM455-1X1-3030-30°




SPECIFICATIONS:

DXH (mm) : 300X20


FWHM : 30°

LED Package : 3030

Material : Polycarbonate



OM467-124X1-3535-90°




SPECIFICATIONS:

LXWXH (mm) : 255.8X200.5X24.9

FWHM : 90°

LED Package : 3535

Material : Polycarbonate



OM456-1X1-3030-60°




SPECIFICATIONS:

DXH (mm) : 300.03X20

FWHM : 60°

LED Package : 3030

Material : Polycarbonate



OM470-108X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 325X9.4

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM458-30X1-3535-90°




SPECIFICATIONS:

LXWXH (mm) : 121.7X109.2X18.7


FWHM : 90°

LED Package : 3535

Material : Polycarbonate



OM471-24X1-5050-90°




SPECIFICATIONS:

LXWXH (mm) : 120X120X8.8


FWHM : 90°

LED Package : 5050

Material : Polycarbonate



OM476-64X1-5050-30°



SPECIFICATIONS:


LXWXH (mm) : 230.3X71.2X9.1

FWHM : 30°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | GECLA | SAMSUNG | LUMILEDS



OM504-30X1-5050-90°



SPECIFICATIONS:


DXH (mm) : 155X8.4

FWHM : 90°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | GECLA | SAMSUNG | LUMILEDS



OM480-92X1-5050-30°



SPECIFICATIONS:


LXWXH (mm) : 248.3X212.9X11.1

FWHM : 30°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | GECLA | SAMSUNG | LUMILEDS



OM516-90X1-5050-30°



SPECIFICATIONS:


LXWXH (mm) : 229.17X180.04X13.98

FWHM : 30°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | GECLA | SAMSUNG | LUMILEDS



OM491-1X1-5050-90°



SPECIFICATIONS:


DXH (mm) : 225.8X11.4

FWHM : 90°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | GECLA | SAMSUNG | LUMILEDS



OM532-1X1-2835,3030-180°



SPECIFICATIONS:


DXH (mm) : 13.50X4.93

FWHM : 180°

LED Package : 2835, 3030

Material : Polycarbonate

CREE | OSRAM | GECLA | SAMSUNG | LUMILEDS



OM494-33X1-5050-120°



SPECIFICATIONS:


LXWXH (mm) : 300X80.9X9.4

FWHM : 120°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | GECLA | SAMSUNG | LUMILEDS



OM538-28X1-3535-60°



SPECIFICATIONS:


LXWXH (mm) : 100X100X9.6

FWHM : 60°

LED Package : 3535

Material : Polycarbonate

CREE | OSRAM | GECLA | SAMSUNG | LUMILEDS



OM539-24X1-5050-60°



SPECIFICATIONS:


LXWXH (mm) : 172.9X71.3X10.4

FWHM : 60°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | SICK | SAMSUNG | LUMILEDS



OM550-1X1-3030-60°



SPECIFICATIONS:


DXH (mm) : 225.8X10.4

FWHM : 60°

LED Package : 3030

Material : Polycarbonate

CREE | OSRAM | SICK | SAMSUNG | LUMILEDS



OM544-24X1-5050-60°



SPECIFICATIONS:


LXWXH (mm) : 198X84X10

FWHM : 60°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | SICK | SAMSUNG | LUMILEDS



OM559-12X1-5050-60°



SPECIFICATIONS:


LXWXH (mm) : 71.4X173

FWHM : 60°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | SICK | SAMSUNG | LUMILEDS



OM545-3535-28X1-90°



SPECIFICATIONS:


LXWXH (mm) : 100X100X9.6

FWHM : 90°

LED Package : 3535

Material : Polycarbonate

CREE | OSRAM | SICK | SAMSUNG | LUMILEDS



OM560-12X1-5050-90°



SPECIFICATIONS:


LXWXH (mm) : 71.4X173X

FWHM : 90°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | SICK | SAMSUNG | LUMILEDS



OM548-3535-28X1-30°



SPECIFICATIONS:


LXWXH (mm) : 100X100X9.6

FWHM : 30°

LED Package : 3535

Material : Polycarbonate

CREE | OSRAM | SICK | SAMSUNG | LUMILEDS



OM569-5050-12X1-55°



SPECIFICATIONS:


LXWXH (mm) : 173X71.4X4.1

FWHM : 55°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | SICK | SAMSUNG | LUMILEDS



OM573-48X1-5050-30°




SPECIFICATIONS:

DXH (mm) : 183X11 mm

FWHM : 30°

LED Package : 5050

Material : Polycarbonate



OM591-58X1-5050-15°




SPECIFICATIONS:

LXWXH (mm) : -

FWHM : 140X50°

LED Package : 5050

Material : Polycarbonate



OM602-1X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 158.50X10.19

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM603-1X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 183X10.4

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM604-1X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 225.1X8.8

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM606-5050-6X1-15°




SPECIFICATIONS:

DXH (mm) : 75.4X50X15.9

FWHM : 15°

LED Package : 5050

Material : Polycarbonate



OM607-1X1-3030,5050-60°




SPECIFICATIONS:

DXH (mm) : 259X8.9-

FWHM : 60°

LED Package : 3030, 5050

Material : Polycarbonate



OM608-1X1-3030,5050-90°




SPECIFICATIONS:

DXH (mm) : 259.5X8.9

FWHM : 90°

LED Package : 3030, 5050

Material : Polycarbonate



OM614-1X1-3535-14X60°




SPECIFICATIONS:

DXH (mm) : 225.1X8.8

FWHM : 60°

LED Package : 3535

Material : Polycarbonate



OM635-1X1-60°




SPECIFICATIONS:

DXH (mm) : 88.278X18.3

FWHM : 60°

LED Package : -

Material : Polycarbonate



OM632-1X1-60°




SPECIFICATIONS:

DXH (mm) : 33.7033X12

FWHM : 60°

LED Package : -

Material : Polycarbonate



OM637-2X1-5050-25°




SPECIFICATIONS:

LXWXH (mm) : 50.3X25.3X

FWHM : 25°

LED Package : 5050

Material : Polycarbonate



OM633-1X1-60°




SPECIFICATIONS:

DXH (mm) : 48.95X13.34

FWHM : 60°

LED Package : -

Material : Polycarbonate



OM656-9X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 50X50X10

FWHM : 30°

LED Package : 5050

Material : Polycarbonate



OM634-1X1-60°




SPECIFICATIONS:

DXH (mm) : 65.4X16.9

FWHM : 60°

LED Package : -

Material : Polycarbonate



OM660-126X1-5050-60°




SPECIFICATIONS:

DXH (mm) : 295X285X11

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



Not for sale only for reference

OM661-5050-TUBE 60°



Not for sale only for reference


SPECIFICATIONS:

DXH (mm) : 243X243

FWHM : 60°

LED Package : 5050

Material : Polycarbonate



OM662-5050-TUBE-60°



Not for sale only for reference


SPECIFICATIONS:

DXH (mm) : 195X191

FWHM : 60°

LED Package : -

Material : Polycarbonate



OM663-2835-16X1-60°



Not for sale only for reference


SPECIFICATIONS:

DXH (mm) : 190X140

FWHM : 60°

LED Package : 2835 -

Material : Polycarbonate



OM665-HOLDER




SPECIFICATIONS:

DXH (mm) : 18X13.5

FWHM :

LED Package : -

Material : Polycarbonate



OM666-1X1-3535-15°




SPECIFICATIONS:

DXH (mm) : 19.8X10.6

FWHM : 15°

LED Package : 3535 -

Material : Polycarbonate



OM667-1X1-3535-30°




SPECIFICATIONS:

DXH (mm) : 19.8X10.6

FWHM : 30°

LED Package : 3535-

Material : Polycarbonate



OM668-1X1-3535-45°




SPECIFICATIONS:

DXH (mm) : 19.8X10.6

FWHM : 45°

LED Package : 3535

Material : Polycarbonate



OM669-1X1-3535-60°




SPECIFICATIONS:

DXH (mm) : 19.8X10.6

FWHM : 60°

LED Package : 3535

Material : Polycarbonate



OM670-1X1-3535-90°




SPECIFICATIONS:

DXH (mm) : 19.8X10.6

FWHM : 90°

LED Package : 3535

Material : Polycarbonate



OM689-5050-20X1-25°




SPECIFICATIONS:

DXH (mm) : 144X11

FWHM : 25°

LED Package : 5050-

Material : Polycarbonate



OM690-3X1-3535/5050-15X60°




SPECIFICATIONS:

DXH (mm) : 92X41X16

FWHM : 15X60°

LED Package : 3535/5050-

Material : Polycarbonate



OM699-28X1-3535/5050-60°




SPECIFICATIONS:

DXH (mm) : 229X71X11

FWHM : 60°

LED Package : 3535/5050-

Material : Polycarbonate



OM700-28X1-3535/5050-30°




SPECIFICATIONS:

DXH (mm) : 229X71X11

FWHM : 30°

LED Package : 3535/5050-

Material : Polycarbonate



OM701-28X1-3535/5050-10°




SPECIFICATIONS:

DXH (mm) : 229X71X11

FWHM : 10°

LED Package : 3535/5050

Material : Polycarbonate



OM717-18X1-3535-25°




SPECIFICATIONS:

DXH (mm) : 75X75X7.5


FWHM : 25°

LED Package : 3535

Material : Polycarbonate



OM718-36X1-2835-60°




SPECIFICATIONS:

DXH (mm) : 164X142X9.5


FWHM : 60°

LED Package : 2835

Material : Polycarbonate



OM719-60X1-2835-90°




SPECIFICATIONS:

DXH (mm) : 201X170X8.4


FWHM : 60°

LED Package : 2835

Material : Polycarbonate



OM720-120X1-2835-60°




SPECIFICATIONS:

DXH (mm) : 241X209X8.3


FWHM : 60°

LED Package : 2835

Material : Polycarbonate



OM724-36X1-3030/2835-30°




SPECIFICATIONS:

DXH (mm) : 173X71.4X9


FWHM : 30°

LED Package : 2835/3030

Material : Polycarbonate



OM725-36X1-2835/3030-60°




SPECIFICATIONS:

DXH (mm) : 173X71.4X9


FWHM : 60°

LED Package : 2835/3030

Material : Polycarbonate



OM726-36X1-2835/3030-90°




SPECIFICATIONS:

DXH (mm) : 173X71.4X9


FWHM : 90°

LED Package : 2835/3030-

Material : Polycarbonate



OM734-36X1-2835-60°




SPECIFICATIONS:

DXH (mm) : 244.5X188.5X8.8


FWHM : 60°

LED Package : 2835

Material : Polycarbonate



OM735-48X1-5050-23°X37°




SPECIFICATIONS:

DXH (mm) : 170X110X10

FWHM : 23°X37°

LED Package : 5050

Material : Polycarbonate



OM736-1X1-5050-25°




SPECIFICATIONS:

DXH (mm) : 26.3X15.55X7


FWHM : 25°

LED Package : 5050

Material : Polycarbonate



OM737-1X1-5050-40°



SPECIFICATIONS:


DXH (mm) : 26.8X16.15X9

FWHM : 40°


LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | PHILIPS | SAMSUNG | LUMILEDS



OM738-1X1-5050-60°



SPECIFICATIONS:


DXH (mm) : 27X16.15X8.5

FWHM : 60°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | PHILIPS | SAMSUNG | LUMILEDS



OM747-1X1-3535-20°



SPECIFICATIONS:


DXH (mm) : 14.6X8.5

FWHM : 20°

LED Package : 3535

Material : Polycarbonate

CREE | OSRAM | PHILIPS | SAMSUNG | LUMILEDS



OM751-48X1-5050-155°



SPECIFICATIONS:


DXH (mm) : 170X7110X8

FWHM : 155°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | PHILIPS | SAMSUNG | LUMILEDS



ARCHITECTURE LIGHTING



COMMERCIAL LIGHTING



INDUSTRIAL LIGHTING



UNDERWATER LIGHTING



BORDER LIGHT LENS

TV BACK LIGHT LENS

OM90-1X1-3030-20°




SPECIFICATIONS:

DXH (mm) : 19.6X10.45


FWHM : 20°

LED Package : 3030

Material : Polycarbonate



OM14-1X1-3030-160°




SPECIFICATIONS:

DXH (mm) : 15.6X6

FWHM : 160°

LED Package : 3030

Material : Polycarbonate



OM122-1X1-3535-90X20°




SPECIFICATIONS:

DXH (mm) : 27.6X20X12.6

FWHM : 90X20°

LED Package : 3535

Material : Polycarbonate



OM101-1X1-3030-160°




SPECIFICATIONS:

DXH (mm) : 13X3.9

FWHM : 160°

LED Package : 2835, 3030

Material : Polycarbonate



OM125-2X2-3535-100X20°




SPECIFICATIONS:

LXWXH (mm) : 50X50X9

FWHM : 100X20°

LED Package : 3535

Material : Polycarbonate



OM289-1X1-3030-160°




SPECIFICATIONS:

DXH (mm) : 13.3X5

FWHM : 160°

LED Package : 3030

Material : Polycarbonate



OM740-2X2-5050-155°




SPECIFICATIONS:

LXWXH (mm) : 50X50X9

FWHM : 155°

LED Package : 5050

Material : Polycarbonate



OM328-1X1-3030-160°




SPECIFICATIONS:

DXH (mm) : 13.4X4.5

FWHM : 160°

LED Package : 3030

Material : Polycarbonate



NARROW BEAM LENS

OM82-2X2-5050-25°




SPECIFICATIONS:

LXWXH (mm) : 49.7X49.7X11.7

FWHM : 25°

LED Package : 5050

Material : Polycarbonate



OM212-1X1-5050-25°




SPECIFICATIONS:

DXH (mm) : 20X10.6

FWHM : 25°

LED Package : 5050

Material : Polycarbonate



OM115-1X1-3535-9°




SPECIFICATIONS:

DXH (mm) : 21X13

FWHM : 9°

LED Package : 3535

Material : Polycarbonate



OM234-1X1-3535-3°




SPECIFICATIONS:

DXH (mm) : 35X22.3

FWHM : 3°

LED Package : 3535

Material : Polycarbonate



OM161-1X1-3030-20X40°




SPECIFICATIONS:

DXH (mm) : 14X9.8

FWHM : 20X40°

LED Package : 3030

Material : Polycarbonate



OM240-4X1-5050-15°




SPECIFICATIONS:

LXWXH (mm) : 50X50X16.3

FWHM : 15°

LED Package : 5050

Material : Polycarbonate



OM123-2X2-3535-15°




SPECIFICATIONS:

LXWXH (mm) : 50X50X8.8

FWHM : 15°

LED Package : 3535

Material : Polycarbonate



OM241-1X1-3535-7°




SPECIFICATIONS:

DXH (mm) : 18.4X21.7X14.6

FWHM : 7°

LED Package : 3535

Material : Polycarbonate



OM274-1X1-3535-7°




SPECIFICATIONS:

DXH (mm) : 21.7X11.5

FWHM : 7°

LED Package : 3535

Material : Polycarbonate



OM307-18X1-3535-10°




SPECIFICATIONS:

LXWXH (mm) : 74.86X74.86X10.96

FWHM : 10°

LED Package : 3535

Material : Polycarbonate



OM396-12X1-3535-10°




SPECIFICATIONS:

LXWXH (mm) : 49.72X49.72X9.79

FWHM : 10°

LED Package : 3535

Material : Polycarbonate



OM490-1X1-3535-3°




SPECIFICATIONS:

DXH (mm) : 35X22

FWHM : 3°

LED Package : 3535

Material : Polycarbonate



TOWER LENS

PLAIN COVER

OM235-1X1-3535-360X4°



SPECIFICATIONS:


LXWXH (mm) : 70.4X27.9X25.3

FWHM : 360X4°

LED Package : 3535

Material : Polycarbonate

CREE | OSRAM | SEIKO | SAMSUNG | LUMILEDS



OM152-5050-PLAIN COVER



SPECIFICATIONS:


LXWXH (mm) : 156X125.6X16.5

FWHM : PLAIN COVER


LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | SEIKO | SAMSUNG | LUMILEDS



OM153-3535,3030-PLAIN COVER



SPECIFICATIONS:


LXWXH (mm) : 107.9X74.5X8.85

FWHM : PLAIN COVER

LED Package : 3535, 3030

Material : Polycarbonate

CREE | OSRAM | SEIKO | SAMSUNG | LUMILEDS



FOG LIGHT LENS

AUTOMOBILE LENS

OMAL-01-8X1-5050-25°



SPECIFICATIONS:


DXH (mm) : 73.03X 10.64

FWHM : 25°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | SEIKO | SAMSUNG | LUMILEDS



OMAL-02-3535-16X1-20°



SPECIFICATIONS:


DXH (mm) : 102.51X101.51X11.43

FWHM : 25°

LED Package : 5050

Material : Polycarbonate

CREE | OSRAM | SEIKO | SAMSUNG | LUMILEDS



OMAL-03-2835-16X1-7°



SPECIFICATIONS:


DXH (mm) : 99.7X99.7X11.5

FWHM : 25°

LED Package : 2835

Material : Polycarbonate

CREE | OSRAM | SEIKO | SAMSUNG | LUMILEDS



OMAL-04-2835-9X1-7°



SPECIFICATIONS:


DXH (mm) : 99.7X99.7X11.5

FWHM : 25°

LED Package : 2835

Material : Polycarbonate

CREE | OSRAM | SEIKO | SAMSUNG | LUMILEDS



OM558-K-17 DHL CONCAVE LENS



SPECIFICATIONS:


LXWXH (mm) : -

FWHM : -

LED Package : -

Material : Polycarbonate

CREE | OSRAM | SEIKO | SAMSUNG | LUMILEDS



**For Your New Customized Development do not
Hesitate to Contact us Because we Want to Work
Together not only a Lens Manufacturer but a real
Partner in Your Project.**

100% Made in India.



OPTIKS MECHATRONICS PVT. LTD

Address: Plot No. 34,35,36,57,77,360 Udyog Kendra 2, Ecotech III,
Greater Noida, Uttar Pradesh 201306

Phone No. + 91 9958394111

E-mail: Customercare@optikskarkhana.net

Website: www.optiksmechatronics.in

